


FOREST[®]

DRAPERY HARDWARE




KS[®]
Klick System

Product information

- Highly efficient hand drawn system for all types of medium weight draperies.
- Quick installation with "Smart Klick" brackets for wall and ceiling applications.
- Bendable; it can be curved and reversed curved using a 10 cm (4") radius or continuous curve.
- Suitable for special window decoration as circular, arch and triangle window models.
- Heavy duty clickable carriers, UV-protected, for smooth and easy traversing. Offset shape for straight hanging pleats.
- Can also be used for Forest Easyfold System and accordiafold drapery systems.
- Maximum fabric weight: 8 kg per meter (6 LBS per ft.).
- Colours available: white, gold, silver, brown, black, cream, beige, red, blue, yellow and green.
- Special colours: available on request.
- Available lengths: 3 meter (9'10"), 4 meter (13'1"), 5 meter (16'4"), 6 meter (19'8"), 7 meter (23').
- Track finish: chromated powder coated with a factory applied patented dry lubricant.

Profile


- Shown actual size 1:1.
- Aluminium Extrusion.
- Weight: 150 grams per meter (1.62 ounce per ft.).
- Dimensions: 14 mm x 20 mm (0,6" x 0,8").



For use in


Hotels - offices - schools - healthcare - residences - boats - campers - planes or at any location where an efficient hand drawn system is required.

Applications




Special window decoration

Special bends





Bending/curving

The track can be curved and reversed curved using a 10 cm (4") radius. Additionally there is a curving possibility for special windows like arches, bows and circles.



Bending instructions available on request.




Easy installation
click - position - tighten



25 mm (1")


clickable carrier

- ① KS track
- ② Carrier
- ③ Stop Carrier
- ④ Twist End Stop
- ⑤ Twist End Stop with cap



3

Wall bracket
3,5 cm (1,4")
6 cm (2,4")



A) Min. 10 cm (4")




A) Min. 15 cm (6")



Other brackets are available. Brackets need to be placed every 60 cm (24").


Mounting Brackets

Smart Click Ceiling Bracket




Aluminium Wall bracket single

A) 7,5 cm (3"): B) 6,3 cm (2,5")
A) 10 cm (4"): B) 8,8 cm (3,5")




Aluminium Wall bracket double

A) 15 cm (6"): B) 9,2 cm (3,6"), C) 4,5 cm (1,8")
A) 20 cm (8"): B) 9,2 cm (3,6"), C) 9,5 cm (3,7")




Aluminium Wall bracket triple 25 cm (10")



Colours available from stock:


Complete the art.nr. with the indicated colour-code

00 Transparent	03 Silver	11 Cream	22 Blue
01 White	05 Brown	12 Beige	23 Yellow
02 Gold	06 Black	21 Red	24 Green




KS Track 10010..00 cm
Aluminium extrusion, powder coated, lubricated. Colour 01: 3 m. (9'10")
Colours 01, 03, 05: 4 m. (13'1"), 5 m. (16'4"), 6 m. (19'8"), 7 m. (23').


Colours 02, 06, 11, 12, 21, 22, 23, 24: 5 m. (16'4").



KS/DS/CKS Track Joiner 1018401010
10/Box



Track Connectorpin KS 9900000012
Stainless steel, 2 x 20 mm 50/Box
For a firm and seamless connection between two pieces of KS track.




Railconnector plastic 1018400000
50/box
Can be inserted in the track, but still allows the carrier to run over.



Carrier 10100..000
500/box
"Clickable", offset, constructed of UV-resistant plastic. 10 Carriers on a break-away strip. Can be clicked in after installation. Colours: 01, 02, 03, 05, 06, 12.



Stop Carrier 10102..000
250/box
Prevents slide back, "clickable", constructed of UV-resistant plastic. Colours: 01, 02, 03, 05, 06.




Shirrtape Carrier 10104..000
500/box
Carrier and hook in one "clickable" unit, constructed of UV-resistant plastic. For sew on drapery tape. Colours: 01, 02, 03, 05.



Carrier with metal hook 10105..000
100/box
"Clickable", offset, with stainless steel hook, constructed of UV-resistant plastic. For use with grommets. Colours: 01, 02, 03, 05, 06.




Twist End Stop 10162..000
100/box
"Twists" into track, with metal plate, constructed of UV-resistant plastic. Colours: 01, 03, 05, 06.



Twist End Stop with cap 10163..000
100/box
"Twists" into track, with metal plate and end cap, constructed of UV-resistant plastic. Colours: 01, 03, 05, 06.



Easyfold KS Endcap + screw 100/box
4816001000
To be screwed with an Easyfold carrier, made of UV-resistant plastic.
Colours: 01, 03, 06.



KS Endcap + screw short 100/box
10060..000
To be used for a single draw curtain.
Colours: 01, 03, 06.



Ceiling Bracket 10180..000
100/box
Slides onto the track, powder coated. Regular duty.
Colours: 01, 02, 03, 05, 06, 12.



Ceiling Bracket with slot 10181..000
100/box
Slides onto the track, powder coated. Regular duty.
Colours: 01, 02, 03, 05, 06.




Smart Klick Ceiling Bracket 10182..000
100/box
"Clicks" onto track, powder coated. Colours: 01, 03, 05, 06.

Inclusive Covercap 1018201001




Covercap for Smart Klick Ceiling Bracket 101920..000
100/box
Fits on Smart Klick Wall and Ceiling bracket.
Colours: 01, 03, 05, 06.



Smart Klick Double Ceiling Bracket Large 1018601000
30/box
Distance between two tracks: 90 mm (3,5")

Smart Klick Double Ceiling Bracket Short 1018611000
30/box
Distance between two tracks: 45 mm (1,8")




False Ceiling Bracket (metal) 100/box
4519001000
For installation on to a suspended ceiling. The track can be fixed in any angle.




FSS Mouning Bracket 100/box
7160001000
For concealed installation or ceiling installation in narrow spaces. Heavy Duty.




Ceiling Splice/Bracket 10185..000
50/box
For ceiling installation only, powder coated. Colours: 01, 02, 03, 05, 06.




KS Klick-On Ceiling Bracket White 018301000
100/Box
For concealed installation without visible brackets, light weight use only.



MTS Suspension Ceiling Bracket
Length: 4518201000
10 cm (4") - 1 m (3,3') 4518201500
1 m (3,3') - 1,5 m (4,9') 1/each




Suspension Bracket Clip 1016901000
50/box
To be used in combination with the Suspension Ceiling Bracket




Smart Klick Wall Bracket
3,5 cm (1,4") and 6 cm (2,4").
"Klicks" onto track, powder coated.
One screw attachment. For light
weight use only. Colours: 01, 03.

50/box
10202...035
10202...060




Smart Klick Wall Bracket
"Klicks" onto track.
10 cm (4"), 12,5 cm (5"),
15 cm (6"), 20 cm (8"),
25 cm (10") and 30 cm (12")
with support.

10202... mm
20/box
15/box
10/box




15 cm (6"), 20 cm (8")
Double track.
For light weight use only.
Colours: 01, 03.

10206... mm
15/box



Adjustable Wall bracket
Smart Klick, adjustable single from 7,5
cm (3") to 11,5 cm (4,5")
Colours: 01, 03.

10208...115
100/box




Double from 6,5 cm (2,5") to
10 cm (4") - 15 cm (6")
to 19,5 cm (7,5")
Colours: 01, 03.

10208...195
50/box



Aluminium Wall bracket
Smart Klick, powder coated.
Colours: 01, 03.

10203... mm




7,5 cm single (3")
10 cm single (4")
15 cm double (6")
20 cm double (8")
25 cm triple (10")

20/box
20/box
15/box
15/box
10/box




Straight Return End Stop r/l
5 x 5 cm (2 x 2") reversible return
plate, powder coated.
Colours: 01, 02, 03, 05.

10165...000
25/box



Wall Support
2,5 x 5 cm (1"x2") return plate,
powder coated. Right
Left
Colours: 01, 02, 03, 05, 06.

25/box
10166...000
10167...000




Master Carrier/Reversible
Reversible overlap carrier, "Klicks"
into track, constructed of UV-resistant
plastic. For straight track only.
Colours: 01.

1010301000
25/box




Extension for Master Carrier
Powder coated.
Colours: 01, 02, 05, 06.

10145...000
50/box




Master Carrier Overlap (right)
Goes through curves, works with
stiffeners and baton clips, can be
corded, powder coated.
Colours: 01, 02, 05, 06.

10141...000
25/box




Master Carrier Underlap (left)
Goes through curves, works with
stiffeners and baton clips, can be
corded, powder coated.
Colours: 01, 02, 05, 06.

10144...000
25/box



Carrier Underlap Left
The Plastic Master is reversible.
There are also snaps on the back
of the Master.
Colours: 00, 01, 03, 06.

25 pcs/box
48151...010



Carrier Overlap Right
The Plastic Master is reversible.
There are also snaps on the
back of the Master.
Colours: 00, 01, 03, 06.

25 pcs/box
48152...010




Baton Fiberglass White
92 cm (36"), 122 cm (48"),
152 cm (60").

100/box
1065101...



Baton Transparant
92 cm (36"), 122 cm (48"),
152 cm (60").

50/box
1065102...




Compact Bending Tool
For KS/CKS

1050000000
1/each


KS Bending Wheel All-in
incl. strips

1050100000
1/each




Continuous Curver
Add on tool for the Compact Bending Tool. 1/box
Designed to create continuous curves and
arches in any radius. Includes KS bending
strip. For KS and CKS Track only.

1060200000



Electric Powered Bender
Available in 230V or 115V, to create
continuous curves and arches.
Minimum radius 50 cm (20").

1060500000
1/box




KS Bending Strip
For Compact Bending Tool.
Length of strip: 60 cm (23,6").
For continuous curver/electric
bender. Length of strip: 7 mtr. (23').

1060100000
1/each
1060300000
1/each



KS/CKS Bending Wheels
For Electric Powered Bender.
Complete set of 3 wheels.

1060700000
1/set



Electric Powered Railcutter
230 Volt EU

1061100000

Replacement Blade
For electric powered railcutter.

1/each
1061200000
1/each

Distributor:

FOREST
DRAPERY HARDWARE



Download Forest brochures